

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 20.10.2021
Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

1. Substance/preparation and manufacturer/supplier identification

Seclira Gel Cockroach Bait

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Hazardous to the aquatic environment - acute: Cat. 3

Hazardous to the aquatic environment - chronic: Cat. 3

Label elements and precautionary statement:

Hazard Statement:

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement:

BASF Safety data sheet
Date / Revised: 20.10.2021
Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

crop protection product, insecticide, Bait

Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 0.5 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 4 (oral)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in

Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Specific hazards:
carbon monoxide, carbon dioxide, nitrogen oxides, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

BASF Safety data sheet
Date / Revised: 20.10.2021
Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 60 Months

8. Exposure controls and personal protection

Components with occupational exposure limits

glycerol, 56-81-5;

TWA value 10 mg/m³ (AU NOEL), Inhalable mist
This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
TWA value 10 mg/m³ (OEL (AU)), Inhalable dust

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Wear impervious gloves.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Wearing of closed work clothing is recommended. The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form:	gel
Colour:	tan to brown
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 6 - 8 (22.4 °C)
Melting point:	approx. 18 °C Information based on the main components.

BASF Safety data sheet
 Date / Revised: 20.10.2021
 Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

Boiling point:	approx. 100 °C Information applies to the solvent.
Flash point:	Non-flammable., Information applies to the solvent.
Evaporation rate:	not applicable
Flammability (solid/gas):	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	approx. 400 °C Information applies to the solvent.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Vapour pressure:	approx. < 0.01 Pa (20 °C) Information based on the main components.
Density:	approx. 1.20 g/cm ³ (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine	
Partitioning coefficient n-octanol/water (log Pow):	-0.549 (25 °C)

BASF Safety data sheet
Date / Revised: 20.10.2021
Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

Viscosity, dynamic: approx. 124.5 Pa.s
(23 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg
No mortality was observed.

LC50 rat (by inhalation): > 2.07 mg/l 4 h

No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:
Buehler test guinea pig:

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Silica, amorphous, fumed, cryst.-free
Assessment of repeated dose toxicity:
Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.
No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, *Mysidopsis bahia*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment transport between environmental compartments:
Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

BASF Safety data sheet
Date / Revised: 20.10.2021
Product: **Seclira Gel Cockroach Bait**

Version: 1.1

(30754991/SDS_CPA_AU/EN)

Date of print 08.11.2021

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No: 83034

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.